




S-PATTERN ROCK AUGER

Double Cut and Double Carry shown



V1



CONNECTIONS			AUGER DIAMETERS	
SQUARE	3"	3 1/2"	24"	TO 120"
SQUARE	133MM	150MM		
SQUARE	177MM	200MM		

CUT DIAMETER
True Cut diameter is equal to the auger diameter.

DRILLING SOIL CONDITIONS:



Contact Your Pengo Rep to Configure Your Foundation Auger Today!



SPOT ON!
Configuring & Quoting

Pengo makes every effort to provide you with a solid, quality tool. Our Foundation V1 rock augers feature an single row, S-pattern cutting edge that provides peak performance in hard, fracturable rock drilling.


These augers are built with a cast or fabricated hub and your choice of flight thickness. The pinnacle of the Pengo's rock auger is the Strata® teeth. The special drilling grade carbide make Strata® top in it's class when it comes to life-cycle and performance.

DOUBLE ROW ROCK AUGER



Double Cut and Double Carry shown



V2



CONNECTIONS			AUGER DIAMETERS	
SQUARE	3"	3 1/2"	24"	TO 120"
SQUARE	133MM	150MM		
SQUARE	177MM	200MM		

CUT DIAMETER
True Cut diameter is equal to the auger diameter.

DRILLING SOIL CONDITIONS:



Contact Your Pengo Rep to Configure Your Foundation Auger Today!



SPOT ON!
Configuring & Quoting

When drilling conditions are extreme and there is a need for more carbide on the ground, the Double Row Rock Auger is your solution. The special carbide tip of the Strata® drilling grade conical tooth coupled with the dual S-pattern of the double row auger will hold up to the rigors of your job.


Strata® teeth have been proven to last longer than standard conical teeth thus meaning increased production time and productivity.



MODERATE SPIRAL ROCK AUGER

Double Cut and Double Carry shown



V3



CONNECTIONS			AUGER DIAMETERS	
SQUARE	3"	3 1/2"	24"	TO 120"
SQUARE	133MM	150MM		
SQUARE	177MM	200MM		

CUT DIAMETER
True Cut diameter is equal to the auger diameter.

DRILLING SOIL CONDITIONS:



Contact Your Pengo Rep to Configure Your Foundation Auger Today!



SPOT ON!
Configuring & Quoting

When selecting a tool for quick ground engagement, choose the Pengo Spiral Rock Auger. Designed for use on smaller foundation rigs, the spiral rock augers standard Strata® SR-104 Drilling grade teeth power through any fracturable rock conditions.

The heavy-duty P-4 holder design eliminates the need to fill large gaps when welding. With no excessive welding heat treat properties are kept in tact.

AGGRESSIVE SPIRAL ROCK AUGER



Double Cut and Double Carry shown

V5

CONNECTIONS

SQUARE	3"	3 1/2"	4"
SQUARE	133MM	150MM	
SQUARE	177MM	200MM	




AUGER DIAMETERS

24" TO 120"

CUT DIAMETER

True Cut diameter is equal to the auger diameter.

DRILLING SOIL CONDITIONS:



Contact Your Pengo Rep to Configure Your Foundation Auger Today!

ORANGE X PRESS

SPOT ON!
Configuring & Quoting

Pengo's Aggressive Spiral Rock Auger provides exceptional performance in fracturable and non-fracturable rock drilling conditions.

Both double cut, single carry and double cut, double carry augers feature the standard Strata® SR-104 Drilling grade teeth that power through tough drilling conditions.